

Piśmiennictwo

1. O'Donoghue M., de Lemos J.A., Morrow D. i wsp.: Prognostic Utility of Heart-Type Fatty Acid Binding Protein in Patients With Acute Coronary Syndromes. *Circulation*, 2006, 114, 550-557.
2. Jaffe AS, Babuin L, Apple FS, Biomarkers in acute cardiac disease: the present and the future. *Journal of the American College of Cardiology*, 2006, 48, 1-11.
3. Wiktor Piechota, Wiesław Piechota Strategia wielomarkerowa w diagnostyce i stratyfikacji ryzyka w ostrych zespołach wieńcowych. *Kardiologia po Dyplomie*; Maj 2006, Tom 5, Nr 5.
4. Kaczynska A, Pelsers MM, Bochowicz A. i wsp. Plasma heart-type fatty acid binding protein is superior to troponin and myoglobin for rapid risk stratification in acute pulmonary embolism. *Clinica Chimica Acta*, 2006, 371, 117-123.
5. Nagahara D, Nakata T, Hashimoto A i wsp. Early positive biomarker in relation to myocardial necrosis and impaired fatty acid metabolism in patients presenting with acute chest pain at an emergency room. *Circulation Journal*, 2006, 70 (4) 419-425.
6. Jamal A. Alhashemi MBBS, MSc, FRCPC, FCCP Diagnostic accuracy of a bedside qualitative immunochromatographic test for acute myocardial infarction. *American Journal of Emergency Medicine* (2006) 24, 149-155.
7. Zhang P, Wang Q, Zheng L i wsp. Heart-type fatty acid-binding protein detection for early diagnosis of acute coronary syndrome. *Journal of Southern Medical University*; 2006, 26 (3), 358-360.
8. Tanaka T, Sohmiya K, Kitaura Y i wsp. Clinical evaluation of point-of-care-testing of heart-type fatty acid-binding protein (H-FABP) for the diagnosis of acute myocardial infarction. *Journal of immunoassay & immunochemistry* 2006; 27 (3), 225-238.
9. Servonnet A, Delacour H, Dehan C, Gardet V: Heart fatty-acid binding protein (h-FABP) : a new cardiac marker. *Annales de biologie clinique*, 2006, 64 (3), 209-217.
10. Azzazy,H.,Pelsers M., Christenson R.H. : Unbound free fatty acids and heart-type fatty acid-binding protein: diagnostic assays and clinical applications. *Clinical Chemistry*, 2006, 52, 1, 19-29.
11. Meng X, Ming M, Wang E: Heart fatty acid binding protein as a marker for postmortem detection of early myocardial damage. *Forensic Science International* 2006, 160, 1, 11-16
12. Stanisław Kułakowski H-FABP - Wczesny marker w diagnostyce ostrego zespołu wieńcowego. *Magazyn Medycyny Rodzinnej I Ogólnej*, Nr 11-12/2005
13. Sugiura T, Takase H, Toriyama T. i wsp.: Circulating Levels of Myocardial Proteins Predict Future Deterioration of Congestive Heart Failure , *Journal of Cardiac Failure*, 2005,

11, 7, 504-509.

14. Morioka N, Shigematsu Y, Hamada M, Higaki J.: Circulating Levels of Heart-Type Fatty Acid-Binding Protein and Its Relation to Thallium-201 Perfusion Defects in Patients With Hypertrophic Cardiomyopathy. *The American Journal of Cardiology* 2005, 95,11,1334-1337

15. Łukasz Figiel, Piotr Lipiec, Magdalena Kłosińska, Jarosław Drożdż: Diagnostyka biochemiczna ostrych zespołów wieńcowych. *Kardiologia po Dyplomie; Zeszyty edukacyjne; Październik 2005, Nr 4.*

16. Łukasz A. Małek, Marcin Grabowski, Monika Szpotańska, Mateusz Śpiewak, Renata Głównyńska, Krzysztof J. Filipiak, Grzegorz Opolski Exercise h-FABP plasma concentration in healthy subjects. *Arch Med Sci* 2005, 1, 226-229.

17. Al Shamiri M, Chaudhry K., Arafah M. i wsp.: Human heart-type cytoplasmic fatty acid binding protein for the diagnosis of acute myocardial infarction clinical evaluation of H-FABP in comparison to CK-MB and cTn-T. *Shamiri 2005*

18. Ishii J., Ozaki Y., Lu J. i wsp.: Prognostic value of serum concentration of heart-type fatty acid binding protein relative to cardiac Troponin T on admission in the early hours of acute coronary syndrome. *Clinical Chemistry*, 2005, 51, 1397-1404.

19. Łukasz Figiel: Sercowe białko wiążące kwasy tłuszczowe - wczesny marker uszkodzenia mięśnia sercowego. *Polski Przegląd Kardiologiczny* 2005, 7, 1, 83-85

20. Ecollan P., Collet J-P., Tanguy ML i wsp.: Pre-hospital detection of acute myocardial infarction with ultrarapid H-FABP immunoassay. *Poster at ESC Congress 2005.*

21. Erlikh AD; Katrukha AG; Trifonov IR; Bereznikova AV: Prognostic significance of heart fatty acid binding protein in patients with non-ST elevation acute coronary syndrome: results of follow-up for twelve months. *Kardiologija* 2005; 45(5):13-21

22. McCann CJ, Menowan IBA, Young IS, Adgey AAJ: Value of heart fatty acid binding protein for early detection of acute myocardial infarction. *Clinica Chimica Acta* 355, Supplement, May 2005, MP2-17

23. Lamont JV, McMahon G., McConnell RI, FitzGerald SP: Early biomarkers of acute myocardial infarction. *Clinica Chimica Acta* 2005, 355, Supplement, MP2.41

24. Pelsers M.M., Hermens W.T, Glatz: Fatty acid-binding proteins as plasma markers of tissue injury. *Clinica Chimica Acta* 2005, 352, 15-35.

25. Dyskusja Ekspertów (Jerzy Adamus, Mirosław Dłużniewski, Grzegorz Opolski, Wiesław Piechota) Rola H-FABP w diagnostyce ostrego zespołu wieńcowego. *Kardiologia po Dyplomie; Listopad/Grudzień 2004, Tom 3, Nr 10.*

26. L. Garcia-Castrillo Riesgo, H. Alonso Valle, J. Suárez Antelo i wsp.: Early diagnosis of

acute coronary syndrome in the emergency department. The h-FABP role. *Emergencias* 2004, 16, 233-238.

27. Arimoto T, Shiga R, Fukui A. i wsp.: Prognostic importance of elevated circulating levels of heart-type fatty acid binding protein in patients with heart failure: comparisons with sympathetic nervous activity assessed by ¹²³I-MIBG. Poster at ESC Congress 2004 Munich, Germany

28. Morioka N, Inoue K, Suzuki J. i wsp.: Increased circulating levels of heart-type fatty acid-binding protein in Patients with hypertrophic cardiomyopathy; its relation to the 201TI perfusion defects. Poster at ESC Congress 2004 Munich, Germany

29. Wiesław Piechota, Jerzy Adamus, Wiktor Piechota: Białko wiążące kwasy tłuszczowe - najwcześniejszy marker uszkodzenia mięśnia sercowego. *Kardiologia po Dyplomie* 2004, Tom 3, Nr 6, 78-83.

30. Chan CPY, Sanderson JE, Glatz JFC, i wsp.: A superior early myocardial infarction marker, Human heart-type fatty acid-binding protein. *Z Kardiol* 2004, 93, 1-10.

31. Alhadi HA, Fox KAA: Do we need additional markers of myocyte necrosis: the potential value of heart fatty-acid-binding protein. *Q J Med* 2004, 97, 187-198.
<http://qjmed.oupjournals.org/>

32. Schulz O, Paul-Walter C, Remmler D i wsp.: Verbesserung der ergometrischen Ischämiediagnostik durch Messung von Biomarkern? Heart-type fatty acid-binding protein und kardiales Troponin I bei Patienten mit stabiler Angina pectoris. 70. Jahrestagung der Deutschen Gesellschaft für Kardiologie, 2004, <http://www.steinkopff.springer.de>

33. Haltern G: The New Marker for Acute Myocardial Infarction: Human Heart-Type Fatty Acid Binding Protein (H-FABP). 6th Update on Cardiology 2004, Mashad, Iran

34. Tambara K, Fujita M, Miyamoto S, Doi K, Nishimura K, Komeda M, Pericardial fluid level of heart-type cytoplasmic fatty acid-binding protein (H-FABP) is an indicator of severe myocardial ischemia. *Int J Cardiology* 2004, 93, 281-284

35. Kemp M, Donovan J, Higham H, Hooper J: Biochemical markers of myocardial injury. *Br J Anaesth* 2004, 93, 63-73.

36. Chan CP, Cheng WS, Glatz JF i wsp.: Early Diagnosis of acute myocardial infarction using immunosensors and immunotests. *Analytical Letters*, 2003, 36, 9, 1987-2004.
<http://www.sciencedirect.com>

37. Trifonov IR; Katrukha AG; Iavelov IS; Averkov OV: Diagnostic value of heart fatty-acid binding protein in early hospitalized patients with non ST elevation acute coronary syndrome *Kardiologia*. 2003; 43(5):4-8

38. Yuan Y, Kwong AWK, Kaptein WA: The Response of Fatty Acid-Binding Protein and

Creatine Kinase to Acute and Chronic Exercise in Junior Rowers. *Research Quarterly for Exercise and Sport* 2003, 74 (3) 277-283, <http://www.aahperd.org>

39. Haltern G, Fueth R, Lankisch M. i wsp.: Stellenwert des Fettsäurebindenden Proteins des Herzens (h-FABP) für die Risikostratifizierung des Akuten Myokardinfarkts. 69. Frühjahrstagung der Deutschen Gesellschaft für Kardiologie 2003. <http://www.steinkopff.springer.de>

40. Isa R, Maluenda G, Perez O, Castro P: Comparison between the Heart Specific Fatty Acid Binding Protein and Troponin I at Chest Pain. Poster, Congreso de Cardiología 2003, Chile

41. Goto T, Takase H, Toriyama T. i wsp.: Circulating concentrations of cardiac proteins indicate the severity of congestive heart failure. *Heart* 2003; 89: 1303-1307 <http://www.heartjnl.com>

42. Glatz JFC, van der Voort D, Hermens W T: Fatty acid-binding protein as the earliest available plasma marker of acute myocardial injury. *J Clin Ligand Assay* (2002).

43. Kaptein W, Chan C, Sanderson J, i wsp.: Early detection of acute myocardial infarction with the new marker Fatty Acid- Binding Protein: rapid testing and diagnostic value. Poster 195, 2. Biosensor Symposium Tübingen 2001, <http://barolo.ipc.uni-tuebingen.de/biosensor2001>

44. Petzoldt T, Feindt P, Sunderdiek U. i wsp.: Heart-type fatty acid binding protein (hFABP) in the diagnosis of myocardial damage in coronary artery bypass grafting. *Eur J Cardiothorac Surg* 2001, 19, 859-864.

45. De Groot MJM, Muijtjens AMM, Simoons, ML i wsp.: Assesment of coronary reperfusion in patients with myocardial infarction using fatty acid binding protein concentrations in plasma. *Heart* 2001, 85, 278-285. <http://www.heartjnl.com>

46. Christopher PP, Point of care testing. *BMJ* 2001, 322, 1285-1288.

47. Aartsen WM, Pelsers MMAL, Hermens WTh. i wsp.: Heart fatty acid binding protein and cardiac troponin T plasma concentrations as markers for myocardial infarction after coronary artery ligation in mice. *Eur J Physiol* 2000, 439, 416-422.

48. Haastrup B, Gill S, Kristensen SR. i wsp.: Biochemical Markers of Ischaemia for the Early Identification of Acute Myocardial Infarction without ST Segment Elevation. *Cardiology* 2000, 94, 254-261. <http://www.karger.com/journals/crd>

49. De Lemos JA, Antmann EM, Morrow DA i wsp.: Heart-Type Fatty Acid Binding Protein as a marker of reperfusion After thrombolytic therapy. *Clin Chim Acta* 2000, 298, 85-97 <http://www.sciencedirect.com>

50. Hoekstra J. Glycoprotein IIb/IIIa receptor inhibitor use in unstable angina/non-ST-segment elevation myocardial infarction: an appropriate-use model for the emergency

department. *J Emergency Med*, 2000, 19, 13-19.

51. Okamoto F, Sohmiya K, Ohkaru Y i wsp.: Human heart-type cytoplasmic Fatty acid-binding protein (H-FABP) for the diagnosis of acute myocardial infarction. Clinic evaluation of H-FABP in comparison with myoglobin and creatine kinase isoenzyme MB. *Clin Chem Lab Med* 2000, 38, 231-238.

52. Pentilla I, Pentilla K, Rantanen T.: Laboratory diagnosis of patients with acute chest pain. *Clin Chem Lab Med* 2000, 38, 187-197.

53. Renneberg R, Cheng S, Kaptein WA, i wsp.: Novel immunosensors for rapid diagnosis of acute myocardial infarction; a case report. *Adv Biosens* 1999, 4, 241-272.

54. Pelsers MM, Chapelle JP, Knapen M. I wsp.: Influence of Age and Sex and Day-to-Day and Within-Day Biological Variation on Plasma Concentrations of Fatty Acid-binding Protein and Myoglobin in Healthy Subjects. *Clinical Chemistry* 1999, 45, No. 3.

55. De Groot MJ, Wodziog KW, Simoons ML i wsp.: Measurement of myocardial infarct size from plasma fatty acid-binding protein or myoglobin, using individually estimated clearance rates. *Cardiovascular Research*, 1999, 44 315-324, <http://www.sciencedirect.com>

56. Glatz JFC, van der Vusse GJ, Simoons ML i wsp.: Fatty acid-binding protein and the early detection of acute myocardial infarction. *Clin Chim Acta* 1998, 272, 87-92, <http://www.sciencedirect.com>

57. Glatz JFC, Fatty Acid-Binding Protein as a Plasma Marker for the Early Detection of Myocardial Injury. *Myocardial Damage: Early Detection by Novel Biochemical Markers*. Kluwer Academic Publishers, *Dev Cardiocasc Med* 205, pp.73-84, 1998.

58. Schreiber A, Specht B, Pelsers MM, i wsp.: Recombinant human heart-type fatty acid-binding protein as standard in immunochemical assays. *Clin Chem Lab Med* 1998, 36, (5) 283-288.

59. Wodzig KWH, Kragten JA, Modrzejewski W. i wsp.: Thrombolytic therapy does not change the release ratios of enzymatic and non-enzymatic myocardial marker proteins. *Clin Chim Acta* 272 (1998) 209-223, <http://www.sciencedirect.com>

60. Sanders GT, Schouten Y, De Winter RJ. i wsp.: Evaluation of human heart type fatty acid-binding protein assay for early detection of myocardial infarction. *Clin Chem* 1998, 44, A132 (abstract),

61. Glatz JFC, Haastrup B, Hermes WT. i wsp.: Fatty acid-binding protein and the early detection of acute myocardial infarction: the EUROCARDI multicenter trial. *Circulation* 1997; 96: I-215 (abstract) <http://circ.ahajournals.org>

62. Glatz JFC, EUROCARDI study team, Fatty acid-binding protein and the early detection of acute myocardial infarction. *Ned Tijdschr Klin Chem* 1997 22, 91-111.

63. Gorski J, Hermes WT, Borawski J. i wsp.: Increased Fatty Acid Binding Protein Concentration in Plasma of Patients with Chronic Renal Failure. *Clin Chem* 1997, 43, 193A-195.
64. Ishii J, Nagamura Y, Nomura M. i wsp.: Early detection of successful coronary reperfusion based on serum concentration of human heart-type cytoplasmic fatty acid-binding protein. *Clin Chim Acta*, 1997, 262, 13-27 <http://www.sciencedirect.com>
65. Ishii J, Wang J, Naruse H. i wsp.: Serum concentrations of myoglobin vs human heart-type cytoplasmic fatty acid-binding protein in early detection of acute myocardial infarction. *Clin Chem* 1997,43, 1372-1378.
66. Glatz JFC, Van der Vusse GJ, Cellular fatty acid-binding proteins. Their function and physiological significance. *Prog Lipid Res* 1996, 35, 243-282.
67. Siegmann-Thoss C, Renneberg R, Glatz JFC. i wsp.: Enzyme immunosensor for diagnosis of myocardial infarction. *Sensors Actuators* 1996, B 30: 71-76, <http://www.sciencedirect.com>
68. Yoshimoto K, Tanaka T, Somiya K. i wsp.: Human heart-type cytoplasmic fatty acid-binding protein as an indicator of acute myocardial infarction. *Heart Vessels* 1995, 10, 304-309.
69. Van Nieuwenhoven FA, Kleine AH, Wodzig KWH. i wsp.: Discrimination Between Myocardial and Skeletal Muscle Injury by Assessment of the Plasma Ratio of Myoglobin Over Fatty Acid-Binding Protein. *Circulation*. 1995, 92, 2848-2854.
70. Glatz JFC, Kleine AH, van Nieuwenhoven FA. i wsp.: Fatty-acid-binding Protein as a plasma marker for the estimation of myocardial infarct size in humans. *British Heart Journal*, 1994, 71,135-140 <http://www.heartjnl.com>
71. Sohmiya K, Tanaka T, Tsuji R. i wsp.: Plasma and Urinary heart-Type Cytoplasmic Fatty Acid-Binding Protein in Coronary Occlusion and Reperfusion Induced Myocardial Injury Model. *Journal of Molecular and Cellular Cardiology* 1993, 25, 12, 1413-1426.
72. Tsuji R, Tanaka T, Sohmiya K. i wsp.: Human heart-type cytoplasmic fatty acid-binding protein in serum and urine during hyperacute myocardial infarction. *Int J Card* 1993, 41, 209-217
73. Kleine AH, Glatz JFC, Van Nieuwenhoven FA, Van der Vusse GJ.: Release of heart fatty acid-binding protein into plasma after acute myocardial infarction in man. *Molecular and Cellular Biochemistry* 1992, 116, 155-162.
74. Glatz JFC, Van Bilsen M, Paulussen RJ. i wsp.: Release of fatty acid-binding protein from isolated rat heart subjected to ischemia and reperfusion or to the calcium paradox. *Biochim Biophys Acta* 1988, 961,148-152.